







REVISIONS (變更紀錄)				
REV	DESCRIPTION	DRW	APR	DATE



公 差 (Tolerance)		MATERIAL: Aluminum	
標準 (STD): ±0.05	FINISH: Anodize	 松騰精密工業有限公司 MAPSUKA INDUSTRIES CO., LTD. E-mail: mapsuka@mapsuka.com.tw http:www.mapsuka.com.tw	
半徑 (RAD): ±0.1	DRW: Amor Huang		
直徑 (DIA): ±0.1	APR:		
角度 (ANG): ±1°	DATE: 2005.04.08		
材料 (MATERIAL): 鋁 鑄型 ±0.2 鍛板 ±0.1	TOOLING NO.	CUSTOMER	CUSTOMER P/N
DIM IN MM		DESCRIPTION Handles for subracks DWG NO. M-L110 THIRD ANGLE PROJECTION 	
		REV A SCALE 1:1	

REVISIONS (變更紀錄)				
REV	DESCRIPTION	DRW	APR	DATE





公 差 (Tolerance)	MATERIAL: Aluminium
標準 (STD): ±0.005	FINISH: Anodize
半徑 (RAD): ±0.01	DRW: Amor Huang
直徑 (DIA): ±0.01	APR:
角度 (ANG): ±1°	DATE: 2005.04.08
材料 (MATERIAL): 鋁線型 ±0.2 鋁板 ±0.1	TOOLING NO.
DIMS IN MM	


<p>松騰精密工業有限公司 MAPSUKA INDUSTRIES CO., LTD.</p>	CUSTOMER
	CUSTOMER P/N
<p>E-mail: mapsuka@mapsuka.com.tw http://www.mapsuka.com.tw</p>	

DESCRIPTION	THIRD ANGLE PROJECTION	SCALE
Handles for subbracks		1:1
DWG NO.		
M-L136		
REV		
A		


REVISIONS (變更紀錄)				
REV	DESCRIPTION	DRW	APR	DATE



公 差 (Tolerance)	MATERIAL: Aluminium
標準 (STD): +/- 0.05	FINISH: Anodize
半徑 (RAD): +/- 0.1	DRW: Amor Huang
直徑 (DIA): +/- 0.1	APR:
角度 (ANG): +/- 1°	DATE: 2005.04.08
材料 (MATERIAL)	TOOLING NO.
螺絲型號: +/- 0.2 螺距 +/- 0.1	
DIMS IN MM	

 松濤精密工業有限公司 MAPSUKA INDUSTRIES CO., LTD.	E-mail: mapsuka@mapsuka.com.tw http:www.mapsuka.com.tw	CUSTOMER	CUSTOMER P/N:

DESCRIPTION	REV
Handles for subbracks	A
DWG NO.	
M-L190	
THIRD ANGLE PROJECTION	SCALE 1:1



(mm)

Order No.	A	B	C	D	E
鋁合金(AL)					
ML-750-20-200	20	200	M8	105	68
ML-750-20-250		250			
ML-750-28-250		250	M10	120	78
ML-750-28-350	350				